

## Safety Data Sheet according to (EC) No 1907/2006

Page 1 of 8

Solvite High Performance

SDS No. : 429616 V001.2 Revision: 23.05.2015 printing date: 01.07.2016 Replaces version from: 26.06.2014

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Solvite High Performance

#### **1.2. Relevant identified uses of the substance or mixture and uses advised against** Intended use:

Wallcovering adhesive, water-based solution

#### **1.3. Details of the supplier of the safety data sheet** Henkel Ltd

Wood Lane End HP2 4RQ Hemel Hempstead

### Great Britain

Phone: +44 (1442) 278000 Fax-no.: +44 (1442) 278071

ua-productsafety.uk@uk.henkel.com

### **1.4. Emergency telephone number**

24 Hours Emergency Tel: +44 0 8701 906777 - For further general health & safety, technical and practical advice on this product, please call +44 (0) 1606 593933 or write to: Technical Services; Henkel Limited; Road 5; Winsford Industrial Estate; Winsford; Cheshire; CW7 3QY-Email: technical.services@henkel.co.uk

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

**Classification (CLP):** 

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

### 2.2. Label elements

### Label elements (CLP):

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

Supplemental information	Contains 2-Octyl-2H-isothiazol-3-one; Isothiazolinone mixture 3:1. May produce an allergic reaction.
Precautionary statement:	P102 Keep out of reach of children.

### 2.3. Other hazards

None if used properly.

### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

General chemical description: Dispersion adhesive, water-based Base substances of preparation: Starch derivative Polyvinyl acetate

### Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous components	EC Number	content	Classification
CAS-No.	<b>REACH-Reg No.</b>		
2-Octyl-2H-isothiazol-3-one	247-761-7	< 500 PPM	Acute Tox. 3; Inhalation
26530-20-1			H331
			Acute Tox. 3; Dermal
			H311
			Skin Corr. 1B
			H314
			Skin Sens. 1
			H317
			Aquatic Acute 1
			H400
			Acute Tox. 4; Oral
			H302
			Aquatic Chronic 1
			H410
			M factor: 10
Isothiazolinone mixture 3:1		< 15 PPM	Acute Tox. 3; Inhalation
55965-84-9			H331
			Acute Tox. 3; Dermal
			H311
			Acute Tox. 3; Oral
			H301 Shin Come 1D
			Skin Corr. 1B H314
			Skin Sens. 1
			H317
			Aquatic Acute 1 H400
			Aquatic Chronic 1
			H410
			11410

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General information: In case of adverse health effects seek medical advice.

Inhalation: Move to fresh air, consult doctor if complaint persists.

Skin contact: Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.

Eye contact:

Rinse immediately with plenty of running water, seek medical advice if necessary.

### Ingestion:

Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

# **4.2. Most important symptoms and effects, both acute and delayed** No data available.

**4.3. Indication of any immediate medical attention and special treatment needed** See section: Description of first aid measures

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media:

carbon dioxide, foam, powder, water spray jet, fine water spray

#### **Extinguishing media which must not be used for safety reasons:** High pressure waterjet

**5.2. Special hazards arising from the substance or mixture** In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus. Wear protective equipment.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures** Wear protective equipment.

Danger of slipping on spilled product.

### **6.2.** Environmental precautions

Do not empty into drains / surface water / ground water.

#### 6.3. Methods and material for containment and cleaning up

Dispose of contaminated material as waste according to Section 13. Remove mechanically.

#### 6.4. Reference to other sections

See advice in section 8

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

No particular measures required.

#### Hygiene measures:

Wash hands before work breaks and after finishing work. Do not eat, drink or smoke while working.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store frost-free. Temperatures between + 5 °C and + 30 °C Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

#### 7.3. Specific end use(s)

Wallcovering adhesive, water-based solution

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational Exposure Limits**

Valid for

Great Britain

None

### **Biological Exposure Indices:**

None

### 8.2. Exposure controls:

Respiratory protection: Use only in well-ventilated areas.

Hand protection:

Recommended are gloves made from Nitril rubber (Material thickness >0,1 mm, Perforation time < 30s). Gloves should be replaced after each short time contact or contamination. Available at laboratory specialized trade or at pharmacies / chemist's shops.

Eye protection: Protective goggles

Skin protection: Suitable protective clothing

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

paste
viscous
Whitish
little intrinsic odour
No data available / Not applicable

### pН

(23 °C (73 °F)) Initial boiling point Flash point Decomposition temperature Vapour pressure Density Bulk density Viscosity (Brookfield; 20 °C (68 °F)) Viscosity (kinematic) Explosive properties Solubility (qualitative) (20 °C (68 °F); Solvent: Water) Solidification temperature Melting point Flammability Auto-ignition temperature Explosive limits Partition coefficient: n-octanol/water Evaporation rate Vapor density Oxidising properties

### 4,0 - 5,0

No data available / Not applicable 70.000 - 135.000 mPa.s

No data available / Not applicable No data available / Not applicable Soluble

No data available / Not applicable No data available / Not applicable

#### 10.1. Reactivity

None if used for intended purpose.

#### **10.2.** Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

See section reactivity

#### **10.4. Conditions to avoid** None if used for intended purpose.

**10.5.** Incompatible materials

None if used properly.

### 10.6. Hazardous decomposition products

None known.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### General toxicological information:

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation 1272/2008/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

#### Sensitizing:

An allergic reaction cannot be excluded after repeated skin contact.

### Acute oral toxicity:

Hazardous components CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Isothiazolinone mixture 3:1	LD50	53 mg/kg	oral		rat	
55965-84-9						

#### Acute inhalative toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
2-Octyl-2H-isothiazol-3-	LC50	0,58 mg/l		4 h	rat	OECD Guideline 403 (Acute
one						Inhalation Toxicity)
26530-20-1						

### **Respiratory or skin sensitization:**

Hazardous components CAS-No.	Result	Test type	Species	Method
2-Octyl-2H-isothiazol-3-	sensitising	Guinea pig	guinea pig	
one		maximisat		
26530-20-1		ion test		

### General ecological information:

Do not empty into drains, soil or bodies of water.

The mixture is classified based on the available hazard information for the ingredients as defined in the classification criteria for mixtures for each hazard class or differentiation in Annex I to Regulation 1272/2008/EC. Relevant available health/ecological information for the substances listed under Section 3 is provided in the following.

### 12.1. Toxicity

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
2-Octyl-2H-isothiazol-3-one 26530-20-1	LC50	0,036 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
	NOEC	0,022 mg/l	Fish	21 d	Oncorhynchus mykiss	OECD 210 (fish early lite stage
2-Octyl-2H-isothiazol-3-one 26530-20-1	EC50	0,42 mg/l	Daphnia	48 h	Daphnia magna	toxicity test) OECD Guideline 202 (Daphnia sp. Acute Immobilisation
2-Octyl-2H-isothiazol-3-one 26530-20-1	EC50	0,084 mg/l	Algae	72 h	Scenedesmus subspicatus (new name: Desmodesmus	Test) OECD Guideline 201 (Alga, Growth
2-Octyl-2H-isothiazol-3-one 26530-20-1	NOEC	0,0016 mg/l	chronic Daphnia	21 d	subspicatus) Daphnia magna	Inhibition Test) OECD 211 (Daphnia magna,
Isothiazolinone mixture 3:1 55965-84-9	LC50	0,22 mg/l	Fish	96 h	Oncorhynchus mykiss	Reproduction Test) OECD Guideline 203 (Fish, Acute
	NOEC	0,098 mg/l	Fish	28 d	Oncorhynchus mykiss	Toxicity Test) OECD 210 (fish early lite stage
Isothiazolinone mixture 3:1 55965-84-9	EC50	0,048 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	toxicity test) OECD Guideline 201 (Alga, Growth
	NOEC	0,0012 mg/l	Algae	72 h	Pseudokirchnerella subcapitata	Inhibition Test) OECD Guideline 201 (Alga, Growth
Isothiazolinone mixture 3:1 55965-84-9	NOEC	0,0036 mg/l	chronic Daphnia	21 d	Daphnia magna	Inhibition Test) OECD 211 (Daphnia magna, Reproduction Test)

### 12.2. Persistence and degradability

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
2-Octyl-2H-isothiazol-3-one 26530-20-1		aerobic	0 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
Isothiazolinone mixture 3:1 55965-84-9	readily biodegradable		> 60 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)

### 12.3. Bioaccumulative potential / 12.4. Mobility in soil

Hazardous components	LogKow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			
2-Octyl-2H-isothiazol-3-one	2,9					OECD Guideline 107
26530-20-1						(Partition Coefficient (n-
						octanol / water), Shake
						Flask Method)
Isothiazolinone mixture 3:1	-0,71 -				20 °C	OECD Guideline 117
55965-84-9	0,75					(Partition Coefficient (n-
						octanol / water), HPLC
						Method)

Hazardous components	PBT/vPvB
CAS-No.	
2-Octyl-2H-isothiazol-3-one	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
26530-20-1	Bioaccumulative (vPvB) criteria.
Isothiazolinone mixture 3:1	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
55965-84-9	Bioaccumulative (vPvB) criteria.

### 12.6. Other adverse effects

No data available.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### Product disposal:

Dispose of waste and residues in accordance with local authority requirements.

Disposal of uncleaned packages:

Use packages for recycling only when totally empty.

Waste code

08 04 10 Waste adhesives and sealants other than those mentioned in 08 04 09.

### **SECTION 14: Transport information**

14.1.	UN number
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.2.	UN proper shipping name
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.3.	Transport hazard class(es)
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.4.	Packaging group
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.5.	Environmental hazards
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.6.	Special precautions for user
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.7.	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
	not applicable

### **SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture** VOC content 0,0 % (VOCV 814.018 VOC regulation CH)

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

The labelling of the product is indicated in Section 2. The full text

of all abbreviations indicated by codes in this safety data sheet are as follows:

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

### Further information:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

#### Label elements (DPD):

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EC" as issued in the last version.

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.